



KOOLTHERM Pipe Insulation

Foiled Pipe Sections (bright silver aluminium foil with logo)

Price per Length (EUR) - see below

Thickness mm.

Price list valid from 01.07.2022

Ø	15	20	25	30	35	40	45	50	55	60	65	70	75	80
10	8,78	10,62	13,15	15,01	17,09	19,90	22,73	23,34	23,95	24,57	25,18	25,79	26,41	27,02
12	9,41	11,38	14,09	16,08	18,31	21,32	24,35	25,01	25,66	26,32	26,98	27,63	28,29	28,95
15/16	10,35	12,52	15,50	17,68	20,14	23,45	26,78	27,51	28,23	28,95	29,68	30,40	31,12	31,84
17/18	10,45	12,64	15,66	17,86	20,34	23,69	27,05	27,78	28,51	29,24	29,98	30,71	31,44	32,17
20	10,78	12,85	16,28	18,97	21,08	24,73	27,20	29,18	31,17	33,16	35,14	37,13	39,11	41,10
21/22	11,05	13,06	18,32	20,08	21,82	25,76	27,34	30,58	33,82	37,07	40,31	43,55	46,79	50,03
25/26	11,67	14,04	19,18	21,54	23,48	26,69	28,69	32,09	35,49	38,89	42,29	45,69	49,09	52,49
27/28	11,72	14,45	19,46	22,41	24,56	27,04	29,46	33,02	36,58	40,14	43,70	47,26	50,82	54,38
32	12,55	15,48	20,26	24,89	28,50	30,61	33,51	37,41	41,31	45,21	49,12	53,02	56,92	60,83
34/35	12,80	15,92	20,48	26,78	31,86	33,60	36,97	41,22	45,46	49,71	53,96	58,20	62,45	66,69
40	14,16	17,09	21,74	27,97	33,08	36,87	40,54	43,24	45,94	51,92	56,01	60,10	64,20	68,29
42	14,94	17,68	22,41	28,58	33,72	39,56	43,52	44,67	45,83	53,54	57,49	61,43	65,37	69,31
48	15,05	19,60	23,43	30,19	35,80	41,63	45,78	49,47	53,15	56,83	60,51	64,20	67,88	71,56
50	15,47	20,29	24,66	30,48	36,56	42,69	46,99	50,20	53,42	56,63	61,81	65,54	69,28	73,01
54	16,46	21,56	26,48	31,36	37,89	44,34	48,78	51,52	54,27	57,01	63,68	67,47	71,26	75,04
60	17,86	23,51	29,52	32,52	39,97	47,05	51,76	53,57	55,39	57,20	66,83	70,72	74,62	78,51
63/64	18,74	24,28	31,46	34,84	42,95	49,73	54,74	57,75	60,75	63,76	70,67	74,72	78,77	82,81
75/76	20,34	25,78	34,13	37,89	46,65	53,13	58,44	62,64	66,84	71,04	75,24	79,44	83,64	87,84
89/90	22,67	27,18	38,09	41,57	50,79	56,80	62,51	69,32	76,14	82,96	89,77	96,59	103,41	110,22
102	25,50	30,58	38,48	43,52	51,09	58,08	62,93	70,62	78,30	85,98	93,67	101,35	109,04	116,72
108		35,57	40,81	46,38	52,11	58,19	64,58	71,19	79,52	86,75	93,99	103,12	112,25	121,38
110		35,75	41,08	46,70	52,56	58,71	65,17	71,86	79,41	86,41	93,42	103,28	113,14	123,00
114		37,37	42,80	48,46	54,46	60,68	67,21	73,98	80,75	87,52	94,29	104,88	115,47	126,06
125		41,39	47,12	53,16	59,49	66,05	72,96	80,11	87,26	94,41	101,57	108,72	115,87	128,81
133		43,24	49,21	55,39	61,88	68,64	75,68	82,99	90,29	97,59	104,90	112,20	119,50	129,71
140		45,43	51,57	57,99	64,64	71,59	78,83	86,32	93,81	101,29	108,78	116,26	123,75	131,24
159			58,23	65,15	72,35	79,85	87,61	95,62	103,62	111,62	119,63	127,63	135,63	143,64
168			61,47	68,65	76,06	83,82	91,84	100,09	108,34	116,58	124,83	133,08	141,32	149,57
180			65,11	72,55	80,26	88,24	96,54	105,11	113,68	122,24	130,81	139,38	147,94	156,51
200			72,84	80,84	89,13	97,69	106,54	115,67	124,80	133,93	143,06	152,19	161,32	170,45
219			80,57	89,13	97,99	107,15	116,54	126,23	135,92	145,61	155,31	165,00	174,69	184,38
225			86,65	95,68	104,98	114,59	124,45	134,57	144,70	154,83	164,95	175,08	185,20	195,33
250			92,73	102,23	111,98	122,02	132,36	142,92	153,48	164,04	174,59	185,15	195,71	206,27
268			100,32	110,19	120,42	130,89	141,63	152,68	163,72	174,77	185,82	196,86	207,91	218,96
273			102,37	112,43	122,76	133,40	144,31	155,43	166,55	177,67	188,80	199,92	211,04	222,17
280			106,90	117,64	128,67	140,00	151,61	163,45	175,29	187,13	198,96	210,80	222,64	234,48
324			124,47	135,89	147,62	159,64	171,95	184,51	197,06	209,61	222,17	234,72	247,27	259,82
356			139,00	151,35	163,97	176,88	190,05	203,50	216,95	230,40	243,85	257,30	270,75	284,20
368			144,64	157,29	170,23	183,49	196,98	210,75	224,52	238,29	252,06	265,83	279,61	293,38
406				158,23	174,40	190,49	208,97	217,50	234,16	246,92	261,98	275,86	289,93	304,26
457				161,85	181,27	198,94	216,00	230,04	244,37	258,86	273,63	288,67	303,92	319,39
508						204,51	227,74	234,87	243,40	258,77	276,41	297,03	309,67	322,49
610						241,88	268,97	276,95	286,56	304,23	324,53	348,28	362,62	377,13

On Stock





KOOLTHERM ELBOWS FOILED

Price list valid from 01.07.2022

ELBOWS90° - 1,5D - 3S- Type 103
 ELBOWS90° - 1,5D - 3S- Type 101 & 102
 ELBOWS90° - 1,5D - 3S- Type 201 & 203

milled
 Foiled Unfoiled
 mitred

Prices Ex-works Turnhout

Thickness mm.

Ø	15	20	25	30	35	40	45	50	55	60	65	70	75	80	Std
	€/ pc	€/ pc	€/ pc	€/ pc	€/ pc	€/ pc	€/ pc	€/ pc	€/ pc	€/ pc	€/ pc	€/ pc	€/ pc	€/ pc	R
21/22	12,69	15,00	21,07	23,08	25,08	49,29	52,44	57,44	62,55	67,55	72,66	77,71	82,71	57,16	38
25/26	13,32	15,39	22,24	25,63	28,11	50,62	54,76	60,05	65,45	70,74	76,14	81,48	86,77	59,54	
27/28	13,47	15,54	22,38	25,78	28,26	50,77	54,91	60,19	65,59	70,88	76,28	81,62	86,91	59,69	29
32	14,57	18,16	23,41	30,62	54,81	58,14	58,17	69,51	80,97	92,31	103,77	115,17	126,51	61,10	
34/35	14,71	18,30	23,55	30,77	54,95	58,29	58,31	69,66	81,11	92,46	103,91	115,31	126,65	61,25	38
40	17,02	20,17	25,63	50,35	56,96	65,00	62,20	73,50	84,91	96,21	107,62	118,97	130,27	71,50	
42	17,16	20,31	25,78	50,49	57,10	65,15	62,35	73,64	85,05	96,35	107,76	119,12	130,41	71,65	48
48	17,32	22,56	26,95	52,35	59,49	67,54	64,58	79,17	93,86	108,45	123,14	137,79	142,24	75,77	57
54	19,82	27,07	50,86	54,32	63,54	70,14	71,10	83,14	95,30	110,24	123,84	140,28	143,64	84,17	
60	20,54	42,27	51,59	55,04	64,27	73,76	71,83	83,87	96,02	110,97	124,57	141,01	147,26	84,89	76
63/64	35,48	44,39	54,16	57,79	67,48	77,45	75,42	88,06	100,83	116,52	130,80	148,06	151,58	89,14	
75/76	41,03	46,11	57,78	63,57	75,07	83,99	82,81	97,90	112,98	128,06	143,09	153,88	166,08	93,06	95
89/90	45,97	51,15	65,21	70,80	82,91	91,44	92,42	108,81	122,42	131,62	145,23	156,94	170,94	105,05	115
102	51,36	57,21	67,86	75,16	85,53	95,13	101,11	112,65	124,14	135,68	150,07	158,72	174,55	116,98	134
108		63,80	71,40	79,30	87,49	96,00	104,91	114,04	126,12	138,15	153,85	159,36	177,24	122,72	143
110		66,98	74,91	83,00	91,58	100,37	109,56	118,98	128,46	139,01	157,50	162,18	180,07	129,22	
114		68,50	76,43	84,52	93,10	101,89	111,08	120,50	129,98	139,41	160,47	162,60	181,59	130,74	153
125		79,23	87,74	96,58	105,79	115,21	125,00	135,13	145,21	155,34	165,47	175,60	185,68	149,19	175
133		83,59	92,41	101,54	110,98	120,63	130,69	141,08	151,47	161,85	172,18	182,57	192,96	155,64	181
140		87,70	96,73	106,08	115,71	125,67	135,96	146,56	157,16	167,76	178,36	188,91	199,51	163,79	191
159			106,60	116,41	126,55	137,10	147,87	158,99	169,48	180,30	191,15	202,01	212,87	171,11	216
168			113,58	123,83	134,31	145,07	156,15	167,56	179,29	191,34	203,71	216,40	229,41	179,19	229
180			153,51	156,80	159,95	163,21	166,50	170,00	173,82	177,87	182,16	186,69	191,46	200,45	
200			155,08	158,36	161,51	164,77	168,27	172,03	176,05	180,34	184,89	189,69	194,74	200,01	
219			156,64	159,93	163,08	166,34	169,81	173,59	177,69	182,00	186,52	191,26	196,24	201,47	305
268			232,72	238,70	244,89	251,16	257,60	264,31	271,30	278,57	286,12	293,95	302,07	299,44	378
273			233,93	239,96	246,40	252,66	259,25	266,15	273,36	280,88	288,71	296,85	305,29	301,71	381
324			298,73	304,42	311,69	319,05	327,00	335,64	344,99	354,15	364,03	374,64	385,97	375,57	457
356			318,34	324,50	330,92	338,98	347,71	357,19	367,43	378,44	390,23	402,81	416,19	400,20	534
368			321,23	327,69	334,31	342,60	351,61	361,36	371,86	383,11	395,13	407,94	421,55	405,25	534
406				370,59	377,38	386,04	395,37	405,47	416,34	428,00	440,45	453,70	467,75	440,42	610
457				428,69	439,73	455,40	471,65	489,57	509,16	529,44	550,43	572,14	594,57	534,01	686
508						501,52	508,29	521,83	536,20	550,48	564,80	579,60	594,61	609,62	762
610						543,63	551,51	567,44	584,09	600,66	617,26	634,44	651,78	669,12	915

Kooltherm

Packaging Standard: Meters per Box



■ = 2 combined sections



■ = 2 separate sections



■ = Segments



DIAMETER			THICKNESS																							
[inch]	[mm]	[mm]	15 (mm)		20 (mm)		25 (mm)		30 (mm)		35	40	45	50	55	60	65	70	75	80	85	90	95	100	→	
			CPL	CNC	CPL	CNC	CPL	CNC	CPL	CNC	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]		
		15	96,0	80,0	72,0	64,0	48,0	36,0			30,0	23,0	18,0	16,0	12,0											
¼	10	17	70,0			52,0		39,0			27,0	20,0	16,0	14,0	12,0											
		18		69,0		49,0		36,0			27,0	20,0	16,0	14,0	12,0											
½	15	21	71,0	64,0	56,0	49,0	36,0	36,0	30,0		25,0	20,0	16,0	12,0	12,0											
		22	71,0	56,0	56,0	42,0	36,0	30,0	30,0		30,0	30,0	20,0	16,0	12,0	12,0										
¾	20	27	56,0	49,0	48,0	42,0	34,0	30,0			25,0	20,0	16,0	16,0	12,0	9,0										
		26	56,0	49,0	48,0	36,0	30,0	25,0			25,0	25,0	20,0	16,0	12,0	9,0										
1	25	34	48,0	42,0	39,0	35,0	30,0	25,0			20,0	16,0	15,0	10,0	9,0											
		35	48,0	36,0	39,0	30,0	30,0	25,0			20,0	16,0	12,0	10,0	9,0											
1¼	32	42	36,0	30,0	30,0	25,0	25,0	20,0			16,0	16,0	16,0	12,0	9,0	9,0										
		48	30,0	25,0	25,0	20,0	20,0	20,0			16,0	12,0	11,0	9,0	8,0											
1½	40	48	30,0	25,0	20,0	20,0	16,0	16,0			16,0	10,0	9,0	9,0	6,0											
		54	30,0	25,0	20,0	20,0	16,0	16,0			12,0	9,0	9,0	7,0	6,0											
2	50	60		20,0	20,0	16,0	15,0	15,0			9,0	9,0	7,0	6,0	5,0											
		67		18,0		16,0		12,0			9,0	9,0	7,0	6,0	5,0											
2½	65	76		16,0		15,0	12,0	12,0	9,0		9,0	9,0	7,0	6,0	5,0	5,0										
		89		12,0		9,0		9,0			8,0	6,0	5,0	5,0	4,0											
3	80	89		9,0		7,0		6,0			5,0	5,0	5,0	4,0	5,0											
		108		9,0		8,0		6,0			5,0	4,0	4,0	6,0	5,0											
4	100	114		9,0		8,0		6,0			5,0	4,0	4,0	6,0	5,0											
		133		6,0		5,0		4,0			4,0															
5	125	140		5,0		5,0		4,0			4,0	5,0	4,5	4,0	4,0											
		160																								
6	150	168				7,0		6,0			5,0	4,0	4,0	3,0	3,0											
		219				4,0		4,0			3,5		3,0		2,5											
10	250	273						10,0			9,0		7,0		6,0											
12	300	324									7,0		6,0		5,0											
14	350	356											5,0													
16	400	406																								
18	450	457																								
↓	↓	↓																								

— = Standard ¼m³ Box Size: 458 x 458 x 1003 mm

— = Standard ½m³ Box Size: 607 x 1132 x 1014 mm

BOLD = CPL Sections



KOOLTHERM FM Stock sizes

Thicknes 15 mm

Dia	Thickness
21/22	15
27/28	15
34/35	15
42	15

Thicknes 25 mm

Dia	Thickness
17/18	25
21/22	25
27/28	25
34/35	25
42	25
48	25
54	25
60	25
75/76	25
89/90	25
114	25
168	25
219	25

Thicknes 40 mm

Dia	Thickness
34/35	40
42	40
48	40
60	40
75/76	40
89/90	40
114	40
140	40
168	40
219	40
273	40

Thicknes 20 mm

Dia	Thickness
21/22	20
27/28	20
34/35	20
42	20
48	20
54	20
60	20
75/76	20
89/90	20
114	20

Thicknes 30 mm

Dia	Thickness
21/22	30
27/28	30
34/35	30
42	30
48	30
60	30
75/76	30
89/90	30
114	30
140	30
168	30
219	30

Thicknes 50 mm

Dia	Thickness
42	50
54	50
60	50
75/76	50
89/90	50
114	50
140	50
168	50
219	50
273	50